création baumann

ARNO

Upholstery fabric in Trevira CS in a multi-coloured basket weave. The strengthened weave makes the fabric resilient and allows warp and weft yarns to be displayed in such a way that several colour hues become visible. The elegant colouring and the soft and natural feel set Arno apart.





Use: Upholstery fabric

Number of colours: 34

Special colours: - from 300 m / 330 yds without surcharge.

Material: 100% Flameretardant polyester (Trevira CS)

Fabric width: 140 cm/55 inch/1.53 yard

Weight: 381 g/m²

Flame-retardant properties:

Additional use:



40 × 8 2 0 Care:

Washing (length shrinkage): 1%

Dry cleaning (length shrinkage): 1%

Sound absorption: Alpha value 0.90

40'000 Martindale Abrasion resistance:

Pilling: 4-5

Light fastness: 4-5

Fire Test DIN 4102 B1 Certificates / tests: Fire Test NFPA 701 *all testing reports can be Fire Test M1 downloaded from our website under product details Fire Test Japan

Sound absorption ISO 354 / ISO 11654

Special notes: - For multifarious applications, including use as

> a heavy decoration fabric. - Excellent acoustic values of aw 0.90.

- Arno's colours match beautifully with the fabrics Dorma, Ola Plus, Orna and Zita.

création baumann

ARNO



Note:

SYMBOLS AND PRODUCT INFORMATION

Product information		Material information
Inherently flame retardant	Free from harmful substances / Oddy	AC Acetate
		CA Hemp
Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	CO Cotton
		EA Elasthan
Can be railroaded (only valid for curtains)	⇒ light transmission level Tv, n-h	GL Glass fibre
Has to be railroaded	light transmission level Tv. n-nn	LI Linen
		MD Modal
Must not be railroaded	⇒ k light transmission level Tv, n-dif	ME Metal
		PA Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC Acrylic
		PE Polyethylene
Repeat in weft direction	light absorption level Av	PI Paper
Weight (g/m2)	UV transmission level Tuv	PL Polyester
		PLF Flameretardant polyester
Yarn dyed	solar transmission level Te, n-h	PLF CS Flameretardant polyester (Trevira CS)
		PN Polycarbonat
Piece dyed	solar reflection level Pe, n-h	PP Polypropylene
		PU Polyurethan
Knitted	solar absorption level Ae	RA Ramie
		SE Silk
Woven	Usable in a bathroom/wet room (Plissee)	SI Silicone
		TR Different material (wood, paper, feathers etc.)
Warp print	Stain resistant (Plissee)	VI Viscose
Screen print/burnout	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.	WM Wool Mohair
		wv Wool
Metalized on one side	Additional product information	
Pearl reflex		

SYMBOLS AND PRODUCT INFORMATION

Intended purposes 44 Curtains/Sheers Roller blinds (colours see separate roller blind collection) Panels (process the panels in warp direction to get optimal hang properties) Vertical blinds Roman blinds Upholstery (for heavy use in contract application). Martindale > 30'000 Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000Loose cover for careful use in domestic application. Martindale < 5'000 **Bedspreads** Table cloth domestic use Wallcovering Textile wallpaper (can be paper backed, minimum quantity) Cushion Acoustical fabrics Adhesive Textiles/Gecko/Gecko in the Box

Fabrics with very high lightfastness for indoor and outdoor	use
Blackout BO	
Reverso	
Plisseé	
Comb plisseé	