

# CASCADE

Semi-transparent curtain fabric; The in the warp direction crushed article combines in the weft cotton with a delicate metal yarn. Its irregular creasing, soft volume and matt look bestow natural, understated charm to the item. Cascade lends interiors a casual and relaxed ambiance. Subtly harmonized natural tones in chalk, white and pale gold are supplemented with denim blue, pink and light blue.









Use:	Semi-transparent curtain fabric	
Number of colours:	8	
Special colours:	- from 240 m / 260 yds without surcharge.	
Material:	66% Polyester 20% Cotton 14% Metal	
Fabric width:	180 cm/71 inch/1.97 yard	
Can be railroaded:	Must not be railroaded	
Weight:	139 g/m²	
Additional use:		
Care:	$\underline{\mathbb{W}} \boxtimes \boxtimes \boxtimes \overline{\mathbb{O}}$	
Washing (length shrinkage):	1%	
Dry cleaning (length shrinkage): 2%		
Light fastness:	4-5	
Certificates / tests:	Special notes	
*all testing reports can be downloaded from our website under product details		
Special notes:	<ul> <li>This fabric is only suitable for making up in applications where the fabric falls and gathers on the floor.</li> </ul>	



## 6réation baumann

## CASCADE















Col. 0002

Col. 0008

Col. 0003

Col. 0004

Note: Colours may vary. Please ask for our colour samples. \* As long as stock lasts

### SYMBOLS AND PRODUCT INFORMATION

#### Product information

Inherently flame retardant	Free from harmful substances / Oddy	AC /	Acetate
		CA	Hemp
←→ Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	CO (	Cotton
		EA	Elasthan
Can be railroaded (only valid for curtains)	⇒ light transmission level Tv, n-h	GL	Glass fibre
Has to be railroaded	light transmission level Tv. n-nn	LI	Linen
		MD	Modal
Must not be railroaded	light transmission level Tv, n-dif	ME	Metal
	⇒ K light transmission level Tv, n-dif	PA	Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC /	Acrylic
		PE	Polyethylene
Repeat in weft direction	light absorption level Av	PI I	Paper
		PL I	Polyester
Weight (g/m2)	UV transmission level Tuv	PLF	Flameretardant polyester
Yarn dyed	solar transmission level Te, n-h	PLF CS	Flameretardant polyester (Trevira CS)
		PN I	Polycarbonat
Piece dyed	solar reflection level Pe, n-h	PP I	Polypropylene
		PU	Polyurethan
Knitted	solar absorption level Ae	RA	Ramie
	Solar absorption level Ae	SE S	Silk
Woven	Usable in a bathroom/wet room (Plissee)	SI S	Silicone
		TR	Different material (wood, paper, feathers etc.)
Warp print	Stain resistant (Plissee)	VI	Viscose
Screen print/burnout	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.	WM	Wool Mohair
		wv	Wool
Metalized on one side	Additional product information		
Pearl reflex			

Material information

### SYMBOLS AND PRODUCT INFORMATION

#### Intended purposes

Curtains/Sheers	
Roller blinds (colours see separate roller blind collection)	BO Blackout
Panels (process the panels in warp direction to get optimal hang properties)	Reverso
Vertical blinds	Plisseé
Roman blinds	Comb plisseé
Upholstery (for heavy use in contract application). Martindale > 30'000	
Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000	
Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000	
Loose cover for careful use in domestic application. Martindale < 5'000	
Bedspreads	
Table cloth domestic use	
Wallcovering	
Textile wallpaper (can be paper backed, minimum quantity)	
Cushion	
Acoustical fabrics	
Adhesive Textiles/Gecko/Gecko in the Box	