


DENSO R

Roller blind fabric; Opaque with black out function. This black out fabric was specially developed for use with extra wide roller blinds on large expanses.

Certificates / tests:

under product details









Use:	Roller blinds
Number of colours:	5
Special colours:	
Material:	64% Acrylic 36% Polyester
Fabric width:	300 cm/118 inch/3.28 yard
Max. width of the system:	290 cm/114 inch/3.17 yard
Max. height of the system:	400 cm/157 inch/4.37 yard
Weight:	390 g/m²
Flame-retardant properties:	\mathbf{X}
Additional use:	b BO
Care:	Due to material- and fabric t

Due to material- and fabric technological properties cleaning is not recommended

Fire Test Norm BS 5867 Fire Test Japan Fire Test Italy Light transmission DIN EN 410



CO

6réation baumann

DENSO R

Col. 7061

Col. 7062

Col. 7063

Col. 7064

Col. 7065

SYMBOLS AND PRODUCT INFORMATION

Product information

Inherently flame retardant	Free from harmful substances / Oddy		Acetate
		CA	Hemp
←→ Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	CO (Cotton
		EA	Elasthan
Can be railroaded (only valid for curtains)	⇒ light transmission level Tv, n-h	GL	Glass fibre
Has to be railroaded	light transmission level Tv. n-nn	LI	Linen
Has to be railroaded	light transmission level Tv. n-nn	MD	Modal
Must not be railroaded	⇒ k light transmission level Tv, n-dif	ME	Metal
		PA	Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC /	Acrylic
		PE	Polyethylene
Repeat in weft direction	light absorption level Av	PI I	Paper
		PL I	Polyester
Weight (g/m2)	⇔ UV transmission level Tuv	PLF	Flameretardant polyester
Yarn dyed	solar transmission level Te, n-h	PLF CS	Flameretardant polyester (Trevira CS)
Yarn dyed	solar transmission level Te, n-h	PN I	Polycarbonat
Piece dyed solar reflection level Pe, n-h	solar reflection level Pe, n-h	PP I	Polypropylene
		PU	Polyurethan
Knitted	solar absorption level Ae	RA	Ramie
	<u> </u>	SE S	Silk
Woven	Usable in a bathroom/wet room (Plissee)	SI S	Silicone
		TR	Different material (wood, paper, feathers etc.)
Warp print	Stain resistant (Plissee)	VI	Viscose
Screen print/burnout	Various articles are only available in complete picture repeats.	WM	Wool Mohair
Screen print/burnout	The price is quoted per repeat in each case.	wv	Wool
Metalized on one side	Additional product information		
Pearl reflex			

Material information

SYMBOLS AND PRODUCT INFORMATION

Intended purposes

Curtains/Sheers	
Roller blinds (colours see separate roller blind collection)	BO Blackout
Panels (process the panels in warp direction to get optimal hang properties)	Reverso
Vertical blinds	Plisseé
Roman blinds	Comb plisseé
Upholstery (for heavy use in contract application). Martindale > 30'000	
Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000	
Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000	
Loose cover for careful use in domestic application. Martindale < 5'000	
Bedspreads	
Table cloth domestic use	
Wallcovering	
Textile wallpaper (can be paper backed, minimum quantity)	
Cushion	
Acoustical fabrics	
Adhesive Textiles/Gecko/Gecko in the Box	