

LEONE

Upholstery fabric; The combination of refined, matt linen with soft chenille yarn lends Leone a fascinating textured and shimmering appearance. The fabric captivates with elegant aesthetics and a soft, natural feel.







	Use:	Upholstery fabric		
	Number of colours:	25		
	Special colours:	- from 200 m / 220 yds without surcharge.		
	Material:	45% Viscose 30% Cotton 15% Polyester 10% Linen		
	Fabric width:	140 cm/55 inch/1.53 yard		
	Weight:	621 g/m²		
	Additional use:			
	Care:	$\boxtimes \boxtimes \boxtimes \boxtimes \boxdot \overline{\mathbb{O}}$		
	Dry cleaning (length shrinkage)	: 1.5%		
	Abrasion resistance:	17'000 Martindale		
100	Pilling:	3-4		
	Light fastness:	5-6		
	Certificates / tests:	Test results USA		
	*all testing reports can be downloaded from our website under product details			



6réation baumann

LEONE

Col. 0071	Col. 0072	Col. 0073	Col. 0074	Col. 0075	Col. 0076
Col. 0077	Col. 0078	Col. 0079	Col. 0080	Col. 0081	Col. 0082
Col. 0083	Col. 0084	Col. 0085	Col. 0086	Col. 0087	Col. 0088
Col. 0089	Col. 0090	Col. 0091	Col. 0092	Col. 0093	Col. 0094

Col. 0095

SYMBOLS AND PRODUCT INFORMATION

Product information

Inherently flame retardant	Free from harmful substances / Oddy	AC /	Acetate
		CA	Hemp
←→ Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	CO (Cotton
			Elasthan
Can be railroaded (only valid for curtains)	⇒ light transmission level Tv, n-h	GL	Glass fibre
Has to be railroaded	light transmission level Tv. n-nn	LI	Linen
Has to be railroaded	light transmission level Tv. n-nn	MD	Modal
Must not be railroaded	⇒ k light transmission level Tv, n-dif	ME	Metal
		PA	Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC /	Acrylic
		PE	Polyethylene
Repeat in weft direction	light absorption level Av	PI I	Paper
		PL I	Polyester
Weight (g/m2)	⇔ UV transmission level Tuv	PLF	Flameretardant polyester
¥arn dyed	solar transmission level Te, n-h	PLF CS	Flameretardant polyester (Trevira CS)
Yarn dyed	solar transmission level Te, n-h	PN I	Polycarbonat
Piece dyed	solar reflection level Pe, n-h	PP I	Polypropylene
	solar reflection level Pe, n-h	PU	Polyurethan
Knitted	solar absorption level Ae	RA	Ramie
	<u> </u>	SE S	Silk
Woven	Usable in a bathroom/wet room (Plissee)	SI S	Silicone
		TR	Different material (wood, paper, feathers etc.)
Warp print	Stain resistant (Plissee)	VI	Viscose
Screen print/burnout	Various articles are only available in complete picture repeats.	WM	Wool Mohair
Screen print/burnout	The price is quoted per repeat in each case.	wv	Wool
Metalized on one side	Additional product information		
Pearl reflex			

Material information

SYMBOLS AND PRODUCT INFORMATION

Intended purposes

Curtains/Sheers	
Roller blinds (colours see separate roller blind collection)	BO Blackout
Panels (process the panels in warp direction to get optimal hang properties)	Reverso
Vertical blinds	Plisseé
Roman blinds	Comb plisseé
Upholstery (for heavy use in contract application). Martindale > 30'000	
Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000	
Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000	
Loose cover for careful use in domestic application. Martindale < 5'000	
Bedspreads	
Table cloth domestic use	
Wallcovering	
Textile wallpaper (can be paper backed, minimum quantity)	
Cushion	
Acoustical fabrics	
Adhesive Textiles/Gecko/Gecko in the Box	