création baumann

OLA PLUS

Dense curtain fabric in Trevira CS; The established, wave design like Ola is available in optimised quality and a new width of 325 cm. The classic elegant jacquard fabric can be used on both sides. The high quality satin weave generates an interplay of matt and shine. The colouring is kept tone in tone. The easy care fabric can be used for multifarious applications in the contract and residential sectors.



Jse: Dense curtain fabric

Number of colours: 16

Special colours: - from 200 m / 220 yds without surcharge.

Material: 100% Flameretardant polyester (Trevira CS)

Fabric width: 325 cm/128 inch/3.55 yard

Can be railroaded: Can be railroaded

Pattern repeat: Width: 30.0 cm/12 inch/0.33 yard

X

Height: 17.0 cm/7 inch/0.19 yard

Weight: 200 g/m²

Flame-retardant properties:

Additional use:

Care: (20) (40) (40) (40) (40) (40)

Washing (length shrinkage): 2%

Washing (length shrinkage): 1%

Dry cleaning (length shrinkage): $1\,\%$


Light fastness: 5

Certificates / tests: Fire Test DIN 4102 B1 Fire Test Japan

*all testing reports can be downloaded from our website under product details

Special notes: - The colours of Ola Plus match beautifully

with the fabrics Orna, Zita, Dorma and Arno.











création baumann

OLA PLUS



Note:

SYMBOLS AND PRODUCT INFORMATION

Product information		Material information
Inherently flame retardant	Free from harmful substances / Oddy	AC Acetate
		CA Hemp
Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	CO Cotton
		EA Elasthan
Can be railroaded (only valid for curtains)	⇒ light transmission level Tv, n-h	GL Glass fibre
Has to be railroaded	light transmission level Tv. n-nn	LI Linen
		MD Modal
Must not be railroaded	⇒ k light transmission level Tv, n-dif	ME Metal
		PA Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC Acrylic
		PE Polyethylene
Repeat in weft direction	light absorption level Av	PI Paper
Weight (g/m2)	UV transmission level Tuv	PL Polyester
		PLF Flameretardant polyester
Yarn dyed	solar transmission level Te, n-h	PLF CS Flameretardant polyester (Trevira CS)
		PN Polycarbonat
Piece dyed	solar reflection level Pe, n-h	PP Polypropylene
		PU Polyurethan
Knitted	solar absorption level Ae	RA Ramie
		SE Silk
Woven	Usable in a bathroom/wet room (Plissee)	SI Silicone
		TR Different material (wood, paper, feathers etc.)
Warp print	Stain resistant (Plissee)	VI Viscose
Screen print/burnout	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.	WM Wool Mohair
		wv Wool
Metalized on one side	Additional product information	
Pearl reflex		

SYMBOLS AND PRODUCT INFORMATION

Intended purposes 44 Curtains/Sheers Roller blinds (colours see separate roller blind collection) Panels (process the panels in warp direction to get optimal hang properties) Vertical blinds Roman blinds Upholstery (for heavy use in contract application). Martindale > 30'000 Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000Loose cover for careful use in domestic application. Martindale < 5'000 **Bedspreads** Table cloth domestic use Wallcovering Textile wallpaper (can be paper backed, minimum quantity) Cushion Acoustical fabrics Adhesive Textiles/Gecko/Gecko in the Box

Fabrics with very high lightfastness for indoor and outdoor	use
Blackout BO	
Reverso	
Plisseé	
Comb plisseé	