

PRINTACOUSTIC HORIZON

Semi-transparent curtain fabric; Printacoustic Horizon has only become possible thanks to new, innovative technologies and unites sound absorbing functions with exacting aesthetics. The need for peace and quiet, especially in office environments and public spaces, is taken up as a theme and creatively transposed. Fine colour transitions with a subtle moiré effect hint at a distant horizon and direct the gaze into infinity.










Use:	Semi-transparent curtain fabric	
Number of colours:	2	
Special colours:		
Material:	100% Flameretardant polyester (Trevira CS)	
Fabric width:	300 cm/118 inch/3.28 yard	
Can be railroaded:	Can be railroaded	
Pattern repeat:	Width: 300.0 cm/118 inch/3.28 yard	
Weight:	125 g/m²	
Flame-retardant properties:	$\underbrace{}$	
Additional use:	Le mo	
Care:	$\boxtimes \boxtimes \boxtimes \boxtimes \boxdot \bigcirc$	
Washing (length shrinkage):	0.5%	
Dry cleaning (length shrinkage): 1%		
Sound absorption:	Alpha value 0.60	
Light fastness:	5	
Certificates / tests: *all testing reports can be downloaded from our website under product details	Fire Test DIN 4102 B1 Fire Test Japan Sound absorption ISO 354 / ISO 11654	
Special notes:	- Combines well with the uni Primacoustic.	





PRINTACOUSTIC HORIZON



Note: Colours may vary. Please ask for our colour samples. * As long as stock lasts

SYMBOLS AND PRODUCT INFORMATION

Product information

Inherently flame retardant	Free from harmful substances / Oddy	AC /	Acetate
		CA	Hemp
←→ Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	CO (Cotton
		EA	Elasthan
Can be railroaded (only valid for curtains)	⇒ light transmission level Tv, n-h	GL	Glass fibre
Has to be railroaded	light transmission level Tv. n-nn	LI	Linen
		MD	Modal
Must not be railroaded	⇒ k light transmission level Tv, n-dif	ME	Metal
		PA	Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC /	Acrylic
		PE	Polyethylene
Repeat in weft direction	light absorption level Av	PI I	Paper
		PL I	Polyester
Weight (g/m2)	UV transmission level Tuv	PLF	Flameretardant polyester
Yarn dyed	solar transmission level Te, n-h	PLF CS	Flameretardant polyester (Trevira CS)
		PN I	Polycarbonat
Piece dyed	solar reflection level Pe, n-h	PP I	Polypropylene
		PU	Polyurethan
Knitted	solar absorption level Ae	RA	Ramie
	Solar absorption level Ae	SE S	Silk
Woven	Usable in a bathroom/wet room (Plissee)	SI S	Silicone
		TR	Different material (wood, paper, feathers etc.)
Warp print	Stain resistant (Plissee)	VI	Viscose
	Various articles are only available in complete picture repeats.	WM	Wool Mohair
Screen print/burnout	The price is quoted per repeat in each case.	wv	Wool
Metalized on one side	Additional product information		
Pearl reflex			

Material information

SYMBOLS AND PRODUCT INFORMATION

Intended purposes

Curtains/Sheers	
Roller blinds (colours see separate roller blind collection)	BO Blackout
Panels (process the panels in warp direction to get optimal hang properties)	Reverso
Vertical blinds	Plisseé
Roman blinds	Comb plisseé
Upholstery (for heavy use in contract application). Martindale > 30'000	
Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000	
Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000	
Loose cover for careful use in domestic application. Martindale < 5'000	
Bedspreads	
Table cloth domestic use	
Wallcovering	
Textile wallpaper (can be paper backed, minimum quantity)	
Cushion	
Acoustical fabrics	
Adhesive Textiles/Gecko/Gecko in the Box	