

# SAPHIR PLUS

Transparent curtain fabric; Delicately shimmering weave in Trevira CS. Use of different yarns in warp and weft generate a charming interplay of matt and shine. The elegant colour range encompasses numerous neutral tones alongside muted shades with attractive changeant effect.





| Use:  | Transparent curtain fabric  |  |  |  |
|---|---|--|--|--|
| Number of colours:  | 36  |  |  |  |
| Special colours:  | - from 200 m / 220 yds without surcharge.                                       |  |  |  |
| Material:   | 100% Flameretardant polyester (Trevira CS)                                      |  |  |  |
| Fabric width:   | 330 cm/130 inch/3.61 yard   |  |  |  |
| Can be railroaded:  | Has to be railroaded  |  |  |  |
| Weight:   | 34 g/m²   |  |  |  |
| Flame-retardant properties:   | ×   |  |  |  |
| Additional use:   | 241   |  |  |  |
| Care:   | $\underline{\mathfrak{W}} \boxtimes \boxtimes \boxdot \underline{\mathfrak{O}}$ |  |  |  |
| Washing (length shrinkage):   | 0.5%  |  |  |  |
| Dry cleaning (length shrinkage): 0.5%   |   |  |  |  |
| Light fastness:   | 5   |  |  |  |
| Certificates / tests:   | Fire Test DIN 4102 B1   |  |  |  |
| *all testing reports can be<br>downloaded from our website<br>under product details |   |  |  |  |
| Special notes:  | - Optimal width of 330 cm   |  |  |  |



## 6réation baumann

## SAPHIR PLUS

| Col. 0801 | Col. 0802 | Col. 0803 | Col. 0805 | Col. 0813 | Col. 0841 |
|-----------|-----------|-----------|-----------|-----------|-----------|
|           |           |           |           |           |           |
| Col. 0842 | Col. 0843 | Col. 0844 | Col. 0845 | Col. 0846 | Col. 0847 |
|           |           |           |           |           |           |
| Col. 0848 | Col. 0849 | Col. 0850 | Col. 0851 | Col. 0852 | Col. 0853 |
|           |           |           |           |           |           |
| Col. 0854 | Col. 0855 | Col. 0856 | Col. 0857 | Col. 0858 | Col. 0859 |
|           |           |           |           |           |           |
| Col. 0860 | Col. 0861 | Col. 0862 | Col. 0863 | Col. 0864 | Col. 0865 |
|           |           |           |           |           |           |
| Col. 0866 | Col. 0867 | Col. 0868 | Col. 0869 | Col. 0870 | Col. 0871 |

### SYMBOLS AND PRODUCT INFORMATION

#### Product information

| Inherently flame retardant                  | Free from harmful substances / Oddy   | AC /   | Acetate   |
|---|---|--------|---|
|   |   | CA     | Hemp  |
| ←→ Width (cm)                               | Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.) | CO (   | Cotton  |
| Can be railroaded (only valid for curtains) |   | EA     | Elasthan  |
|   | ⇒ light transmission level Tv, n-h  | GL     | Glass fibre                                     |
| Has to be railroaded                        | light transmission level Tv. n-nn   | LI     | Linen   |
|   | light transmission level Tv. n-nn   | MD     | Modal   |
| Must not be railroaded                      | ⇒ k light transmission level Tv, n-dif  | ME     | Metal   |
|   |   | PA     | Polyamide                                       |
| Repeat in warp direction                    | light reflection level Pv, n-h  | PC /   | Acrylic   |
|   |   | PE     | Polyethylene                                    |
| Repeat in weft direction                    | light absorption level Av   | PI I   | Paper   |
| Weight (g/m2)                               | UV transmission level Tuv   | PL I   | Polyester                                       |
|   |   | PLF    | Flameretardant polyester                        |
| Yarn dyed                                   | solar transmission level Te, n-h  | PLF CS | Flameretardant polyester (Trevira CS)           |
|   |   | PN I   | Polycarbonat                                    |
| Piece dyed                                  | solar reflection level Pe, n-h  | PP I   | Polypropylene                                   |
|   |   | PU     | Polyurethan                                     |
| Knitted                                     | solar absorption level Ae   | RA     | Ramie   |
|   | <u> </u>  | SE S   | Silk  |
| Woven                                       | Usable in a bathroom/wet room (Plissee)   | SI S   | Silicone  |
|   |   | TR     | Different material (wood, paper, feathers etc.) |
| Warp print                                  | Stain resistant (Plissee)   | VI     | Viscose   |
|   | Various articles are only available in complete picture repeats.                        | WM     | Wool Mohair                                     |
| Screen print/burnout                        | The price is quoted per repeat in each case.  | wv     | Wool  |
| Metalized on one side                       | Additional product information  |        |   |
| Pearl reflex                                |   |        |   |

Material information

### SYMBOLS AND PRODUCT INFORMATION

#### Intended purposes

| Curtains/Sheers   |              |
|---|--------------|
| Roller blinds (colours see separate roller blind collection)  | BO Blackout  |
| Panels (process the panels in warp direction to get optimal hang properties)  | Reverso      |
| Vertical blinds   | Plisseé      |
| Roman blinds  | Comb plisseé |
| Upholstery (for heavy use in contract application).<br>Martindale > 30'000  |              |
| Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 |              |
| Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000        |              |
| Loose cover for careful use in domestic application.<br>Martindale < 5'000  |              |
| Bedspreads  |              |
| Table cloth domestic use  |              |
| Wallcovering  |              |
| Textile wallpaper (can be paper backed, minimum quantity)   |              |
| Cushion   |              |
| Acoustical fabrics  |              |
| Adhesive Textiles/Gecko/Gecko in the Box  |              |