création baumann

SHADE MEDIUM R

Roller blind fabric; The screen-like weave in a semi-transparent finish offers effective glare and sun protection with optimised exterior vistas. An ideal solution for controlling light in public and residential interiors. Grading of the weave density of the Shade articles into groups of different transmission values facilitates an uniform look in interiors which have windows facing in different directions and consequently have to meet different light conditions (large scale open plan offices).









Use: Roller blinds

Number of colours: 5

Special colours: - from 240 m / 260 yds without surcharge.

Material: 100% Flameretardant polyester (Trevira CS)

Fabric width: 300 cm/118 inch/3.28 yard

Max. width of the system: 290 cm/114 inch/3.17 yard

Max. height of the system: 400 cm/157 inch/4.37 yard

Weight: 151 g/m²

Flame-retardant properties:

Additional use:

Care: Cleaning by a recommended specialist cleaner

Sound absorption: Alpha value 0.40

Light fastness: see downloads

Certificates / tests: Fire Test DIN 4102 B1

*all testing reports can be Light transmission DIN EN 410
Fire Test Japan

downloaded from our website under product details

Sound absorption ISO 354 / ISO 11654

Lightfastness certificate

Special notes: - Light transmission degree: 4 - 39%

- Light reflection degree: 6 - 60%



création baumann

SHADE MEDIUM R



Note:

SYMBOLS AND PRODUCT INFORMATION

Product information		Material information
Inherently flame retardant	Free from harmful substances / Oddy	AC Acetate
		CA Hemp
Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	CO Cotton
		EA Elasthan
Can be railroaded (only valid for curtains)	⇒ light transmission level Tv, n-h	GL Glass fibre
Has to be railroaded	light transmission level Tv. n-nn	LI Linen
		MD Modal
Must not be railroaded	⇒ k light transmission level Tv, n-dif	ME Metal
		PA Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC Acrylic
		PE Polyethylene
Repeat in weft direction	light absorption level Av	PI Paper
Weight (g/m2)	UV transmission level Tuv	PL Polyester
		PLF Flameretardant polyester
Yarn dyed	solar transmission level Te, n-h	PLF CS Flameretardant polyester (Trevira CS)
		PN Polycarbonat
Piece dyed	solar reflection level Pe, n-h	PP Polypropylene
		PU Polyurethan
Knitted	solar absorption level Ae	RA Ramie
		SE Silk
Woven	Usable in a bathroom/wet room (Plissee)	SI Silicone
		TR Different material (wood, paper, feathers etc.)
Warp print	Stain resistant (Plissee)	VI Viscose
Screen print/burnout	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.	WM Wool Mohair
		wv Wool
Metalized on one side	Additional product information	
Pearl reflex		

SYMBOLS AND PRODUCT INFORMATION

Intended purposes 44 Curtains/Sheers Roller blinds (colours see separate roller blind collection) Panels (process the panels in warp direction to get optimal hang properties) Vertical blinds Roman blinds Upholstery (for heavy use in contract application). Martindale > 30'000 Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000Loose cover for careful use in domestic application. Martindale < 5'000 **Bedspreads** Table cloth domestic use Wallcovering Textile wallpaper (can be paper backed, minimum quantity) Cushion Acoustical fabrics Adhesive Textiles/Gecko/Gecko in the Box

Fabrics with very high lightfastness for indoor and outdoor	use
Blackout BO	
Reverso	
Plisseé	
Comb plisseé	