création baumann

UMBRIA IV - 300

Dense curtain fabric; A versatile and easy to use uni fabric in Trevira CS with a timeless look and a 300 cm wide width. The plain weave texture and refined materiality lend this piece dyed fabric a certain depth. The colour palette from Umbria IV-300 encompasses key colours from Umbria IV-150 cm.









Dense curtain fabric Use:

Number of colours: 20

Special colours: - from 240 m / 260 yds without surcharge.

Material: 100% Flameretardant polyester (Trevira CS)

Fabric width: 300 cm/118 inch/3.28 yard

Can be railroaded: Can be railroaded

281 g/m² Weight:

Flame-retardant properties:

Additional use:

Care:













II) Oddy-Test







Washing (length shrinkage): 1.5%

Washing (length shrinkage): 0.5%

Dry cleaning (length shrinkage): 0.5%

Sound absorption: Alpha value 0.70

Abrasion resistance: 50'000 Martindale

Pilling:

Light fastness: see downloads

Certificates / tests: Fire Test DIN 4102 B1 Fire Test SNV 198898 *all testing reports can be Fire Test NFPA 701

downloaded from our website Fire Test Japan under product details

Sound absorption ISO 354 / ISO 11654 Flow resistance DIN EN 29053 Free from harmful substances / Oddy

Lightfastness certificate

- All colours from Umbria IV-150 cm can be Special notes:

supplied in a 300 cm wide width as

customised specials.

- By using as panel curtain:

- Max. width of panel approx. 120 cm

- Max. height of panel approx. 300 cm

création baumann

UMBRIA IV - 300



SYMBOLS AND PRODUCT INFORMATION

Product information		Material information
Inherently flame retardant	Free from harmful substances / Oddy	AC Acetate
		CA Hemp
Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	CO Cotton
		EA Elasthan
Can be railroaded (only valid for curtains)	⇒ light transmission level Tv, n-h	GL Glass fibre
Has to be railroaded	light transmission level Tv. n-nn	LI Linen
		MD Modal
Must not be railroaded	⇒ k light transmission level Tv, n-dif	ME Metal
		PA Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC Acrylic
		PE Polyethylene
Repeat in weft direction	light absorption level Av	PI Paper
Weight (g/m2)	UV transmission level Tuv	PL Polyester
		PLF Flameretardant polyester
Yarn dyed	solar transmission level Te, n-h	PLF CS Flameretardant polyester (Trevira CS)
		PN Polycarbonat
Piece dyed	solar reflection level Pe, n-h	PP Polypropylene
		PU Polyurethan
Knitted	solar absorption level Ae	RA Ramie
		SE Silk
Woven	Usable in a bathroom/wet room (Plissee)	SI Silicone
		TR Different material (wood, paper, feathers etc.)
Warp print	Stain resistant (Plissee)	VI Viscose
Screen print/burnout	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.	WM Wool Mohair
		wv Wool
Metalized on one side	Additional product information	
Pearl reflex		

SYMBOLS AND PRODUCT INFORMATION

Intended purposes 44 Curtains/Sheers Roller blinds (colours see separate roller blind collection) Panels (process the panels in warp direction to get optimal hang properties) Vertical blinds Roman blinds Upholstery (for heavy use in contract application). Martindale > 30'000 Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000Loose cover for careful use in domestic application. Martindale < 5'000 **Bedspreads** Table cloth domestic use Wallcovering Textile wallpaper (can be paper backed, minimum quantity) Cushion Acoustical fabrics Adhesive Textiles/Gecko/Gecko in the Box

Fabrics with very high lightfastness for indoor and outdoor	use
Blackout BO	
Reverso	
Plisseé	
Comb plisseé	