## **SAKURA**

Art.No. 0102240

Semi-transparent curtain fabric with digital print; The motif is shown to its best advantage on Basic, the design's underlying fabric quality, and makes the colours appear rich and brilliant. Sakura provides privacy but still lets light into the room. The design shows large-format blossoming cherry branches in delicate shades of pink and a veil in fresh green that blends into the picture.









**Use:** Dense curtain fabric

Number of colours: 1

Material: 100% Flame retardant (Trevira CS)

**Fabric width:** 295 cm/116 inch/3.23 yard

Use: Can be railroaded

**Weight:** 162 g/m<sup>2</sup>

Flame-retardant properties:



Product information:



Care:



1%, 0.5%

Washing (length shrinkage):

Dry cleaning (length

shrinkage):

1%

**Sound absorption:** Alpha value 0.35

Light fastness: 5

Rapporthöhe: 342.00

Rapportbreite: 295

Certificates / tests: Sound a

all test reports are available for download on our website under product details

**Special notes** 

Sound absorption ISO 354 / ISO

The name is borrowed from the female first name "Sakura", which translates as "cherry blossom". In Japanese culture, the blossoming of cherry trees is celebrated. For panels, the design can be processed in the direction of the weft.





## **SAKURA**

Col. 0101

Product information		Material information	
Inherently flame retardant	Free from harmful substances / Oddy	AC	Acetate
		CA	Hemp
Width (cm)	recycled material	СО	Cotton
Can be railroaded (only valid for curtains)	Symbol for returning of used fabrics. Only valid in CH and DE.	EA	Elasthan
		GL	Glass fibre
Has to be railroaded	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	LI	Linen
		MD	Modal
Must not be railroaded	light transmission level Tv, n-h	ME	Metal
		PA	Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC	Acrylic
		PE	Polyethylene
Repeat in weft direction	light absorption level Av	PI	Paper
Weight (g/m2)	UV transmission level Tuv	PL	Polyester
		PLF	Flameretardant polyester
Yarn dyed	solar transmission level Te, n-h	PLF CS	Flameretardant polyester (Trevira CS)
	solar transmission level Te, n-h		
Piece dyed	solar reflection level Pe, n-h	PN	Polycarbonat
Knitted	solar absorption level Ae	PP	Polypropylene
		PU	Polyurethan
Woven	<b>OF</b> Openess factor	RA	Ramie
		SE	Silk
Warp print	Usable in a bathroom/wet room (Plissee)	SI	Silicone
		TR	Different material (wood, paper, feathers etc.)
Screen print/burnout	Stain resistant (Plissee)	VI	Viscose
		WM	Wool Mohair
Metalized on one side	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.	wv	Wool
Pearl reflex	Additional product information		

## SYMBOLS AND PRODUCT INFORMATION

Fabrics with very high lightfastness for indoor and outdoor

use

ВО

\*\*\*\*

Blackout

Reverso

Plisseé

Comb plisseé

## Intended purposes 44 Curtains/Sheers Roller blinds (colours see separate roller blind collection) Panels (process the panels in warp direction to get optimal hang properties) Vertical blinds Roman blinds Upholstery (for heavy use in contract application). Martindale > 30'000 Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000 Loose cover for careful use in domestic application. Martindale < 5'000 **Bedspreads** Table cloth domestic use Wallcovering Textile wallpaper (can be paper backed, minimum quantity) Cushion Acoustical fabrics

Adhesive Textiles/Gecko/Gecko in the Box