

# **UNIMENTO II**

Art.No. 0101005

Decoration fabric in flame-retardant polyester with a soft feel and smooth surface. The translucent yet opaque fabric is particularly suitable for the health care sector and can be used perfectly as a curtain or room divider. It has an antimicrobial, water and dirt repellent finish. Our antimicrobial textiles have an almost unlimited antibacterial effect even after a large number of 60° wash cycles.







Use:	Cubicle curtain
Number of colours:	15
Special colours:	- from 300 m / 330 yds. without surcharge
Material:	100% Polyester flame retardant
Fabric width:	300 cm/118 inch/3.28 yard
Use:	Can be railroaded
Weight:	72 g/m²
Flame-retardant properties:	×
Antimicrobial:	$\bigotimes$
Product information:	11)
Care:	₩ ¥ O = 0
Washing (length shrinkage):	1.5%, 1%
Dry cleaning (length shrinkage):	1.5%
Sound absorption:	Alpha value 0.30
Light fastness:	5
Certificates / tests:	Sound absorption ISO 354 / ISO
all test reports are available for download on our website under product details	11654 Fire Test DIN 4102 B1 Fire Test Norm BS 5867
Special notes	To ensure that the water repellent finish is retained, we recommend that you do not use a fabric softener and that the fabric is

ironed at a level 2 setting after

washing.





## **UNIMENTO II**

Col. 0201	Col. 0202	Col. 0203	Col. 0204	Col. 0205	Col. 0206
Col. 0212	Col. 0251	Col. 0252	Col. 0253	Col. 0254	Col. 0255
Col. 0256	Col. 0257	Col. 0258	Col. 0207*	Col. 0208*	Col. 0209*
Col. 0210*	Col. 0211*	Col. 0213*	Col. 0214*	Col. 0215*	Col. 0216*

## SYMBOLS AND PRODUCT INFORMATION

#### Product information

*	Inherently flame retardant	Oddy-Test	Free from harmful substances / Oddy	AC	Acetate
				CA	Hemp
$\leftarrow$	Width (cm)	3	recycled material	со	Cotton
				EA	Elasthan
•	Can be railroaded (only valid for curtains)	Symbol for returning of used fabrics. Only valid in CH and DE.		GL	Glass fibre
	Has to be railroaded	roaded	Antimicrobial (counteracts colonisation and multiplying of	LI	Linen
┍≁		$\bigcirc$	micro organisms and odours.)	MD	Modal
×	Must not be railroaded	⊨⇒ light transmission level Tv, n-h		ME	Metal
X \				PA	Polyamide
	Repeat in warp direction		light reflection level Pv, n-h	PC	Acrylic
				PE	Polyethylene
	Repeat in weft direction		light absorption level Av	PI	Paper
we	Veight (g/m2)		UV transmission level Tuv	PL	Polyester
				PLF	Flameretardant polyester
	/arn dyed		solar transmission level Te, n-h		Flameretardant polyester (Trevira CS)
	Piece dyed		solar reflection level Pe, n-h	PN	Polycarbonat
				PP	Polypropylene
Ň	Knitted		solar absorption level Ae	PU	Polyurethan
	Woven		Openess factor	RA	Ramie
	OF	OF			Silk
	Varp print	60	Usable in a bathroom/wet room (Plissee)	SI	Silicone
w.		0			Different material (wood, paper, feathers etc.)
Þ	Screen print/burnout		Stain resistant (Plissee)	VI	Viscose
				WM	Wool Mohair
	Metalized on one side		Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.	WV	Wool
	Pearl reflex	l	Additional product information		

Material information

## SYMBOLS AND PRODUCT INFORMATION

#### Intended purposes

44	Curtains/Sheers	-¤.	Fabrics with very high lightfastness for indoor and outdoor use
	Roller blinds (colours see separate roller blind collection)	BO	Blackout
	Panels (process the panels in warp direction to get optimal hang properties)		Reverso
	Vertical blinds		Plisseé
	Roman blinds		Comb plisseé
	Upholstery (for heavy use in contract application). Martindale > 30'000		
	Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000		
	Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000		
	Loose cover for careful use in domestic application. Martindale < 5'000		
	Bedspreads		
	Table cloth domestic use		
	Wallcovering		
	Textile wallpaper (can be paper backed, minimum quantity)		
	Cushion		
-1) S	Acoustical fabrics		
	Adhesive Textiles/Gecko/Gecko in the Box		