


UNIPRIVO

Art.No. 0102210


Decoration fabric in flame-retardant polyester with a soft feel and matt surface. The translucent yet opaque fabric is particularly suitable for the health care sector and can be used perfectly as a curtain or room divider. It has an antimicrobial, water and dirt repellent finish. Our antimicrobial textiles have an almost unlimited antibacterial effect even after a large number of 60° wash cycles.



Use:	Dense curtain fabric
Number of colours:	16
Special colours:	- from 240 m / 270 yds. without surcharge
Material:	100% Flame retardant (Trevira CS)
Fabric width:	320 cm/126 inch/3.5 yard
Use:	Can be railroaded
Weight:	97 g/m ²

Flame-retardant properties: 

Antimicrobial: 

Product information: 

Care: 

Washing (length shrinkage): 1%, 0.5%

Dry cleaning (length shrinkage): 1%

Sound absorption: Alpha value 0.55

Light fastness: 5-6

Certificates / tests: Sound absorption ISO 354 / ISO 11654

all test reports are available for download on our website under product details

Special notes To ensure that the water repellent finish is retained, we recommend that you do not use a fabric softener and that the fabric is ironed at a level 2 setting after washing.



UNIPRIVO



Note:
Colours shown are not binding. Please request our color samples.
*Available while stocks last

SYMBOLS AND PRODUCT INFORMATION

Product information



Inherently flame retardant



Width (cm)



Can be railroaded (only valid for curtains)



Has to be railroaded



Must not be railroaded



Repeat in warp direction



Repeat in weft direction



Weight (g/m²)



Yarn dyed



Piece dyed



Knitted



Woven



Warp print



Screen print/burnout



Metalized on one side



Pearl reflex



Free from harmful substances / Oddy



recycled material



Symbol for returning of used fabrics. Only valid in CH and DE.



Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)



light transmission level Tv, n-h



light reflection level Pv, n-h



light absorption level Av



UV transmission level Tuv



solar transmission level Te, n-h



solar reflection level Pe, n-h



solar absorption level Ae



Openess factor



Usable in a bathroom/wet room (Plissee)



Stain resistant (Plissee)



Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.



Additional product information

Material information

AC Acetate

CA Hemp

CO Cotton

EA Elasthan

GL Glass fibre

LI Linen

MD Modal

ME Metal

PA Polyamide

PC Acrylic

PE Polyethylene

PI Paper

PL Polyester

PLF Flameretardant polyester

PLF CS Flameretardant polyester (Trevira CS)

**PLF CS
ECO**

PN Polycarbonat

PP Polypropylene

PU Polyurethan

RA Ramie

SE Silk

SI Silicone

TR Different material (wood, paper, feathers etc.)

VI Viscose

WM Wool Mohair

WV Wool

SYMBOLS AND PRODUCT INFORMATION

Intended purposes



Curtains/Sheers



Roller blinds (colours see separate roller blind collection)



Panels (process the panels in warp direction to get optimal hang properties)



Vertical blinds



Roman blinds



Upholstery (for heavy use in contract application). Martindale > 30'000



Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000



Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000



Loose cover for careful use in domestic application. Martindale < 5'000



Bedspreads



Table cloth domestic use



Wallcovering



Textile wallpaper (can be paper backed, minimum quantity)



Cushion



Acoustical fabrics



Adhesive Textiles/Gecko/Gecko in the Box



Fabrics with very high lightfastness for indoor and outdoor use



Blackout



Reverso



Plissé



Comb plissé